

Pump Real Time Report

Sr no	Frequency	VRN	VYN	VBN	VRY	VYB	VBR	IR	IY	IB	DCV	Timestamp	Rpm	Pcu	Pm
1	0	0	0	0	0	0	0	0	0	0	569	2025-09-23 15:44:53.114	0	0	true
2	0	0	0	0	0	0	0	0	0	0	569	2025-09-23 15:44:53.114	0	0	true
3	0	0	0	0	0	0	0	0	0	0	569	2025-09-23 15:44:03.089	0	0	true
4	0	0	0	0	0	0	0	0	0	0	569	2025-09-23 15:44:03.089	0	0	true
5	0	0	0	0	0	0	0	0	0	0	570	2025-09-23 15:43:12.889	0	0	true
6	0	0	0	0	0	0	0	0	0	0	570	2025-09-23 15:43:12.889	0	0	true
7	0	0	0	0	0	0	0	0	0	0	570	2025-09-23 15:42:20.829	0	0	true
8	0	0	0	0	0	0	0	0	0	0	570	2025-09-23 15:42:20.829	0	0	true
9	0	0	0	0	0	0	0	0	0	0	571	2025-09-23 15:41:31.93	0	0	true
10	0	0	0	0	0	0	0	0	0	0	571	2025-09-23 15:41:31.93	0	0	true
11	0	0	0	0	0	0	0	0	0	0	571	2025-09-23 15:40:41.925	0	0	true
12	0	0	0	0	0	0	0	0	0	0	571	2025-09-23 15:40:41.925	0	0	true
13	0	0	0	0	0	0	0	0	0	0	571	2025-09-23 15:39:52.806	0	0	true
14	0	0	0	0	0	0	0	0	0	0	571	2025-09-23 15:39:52.806	0	0	true
15	0	0	0	0	0	0	0	0	0	0	570	2025-09-23 15:39:04.225	0	0	true
16	0	0	0	0	0	0	0	0	0	0	570	2025-09-23 15:39:04.225	0	0	true
17	0	0	0	0	0	0	0	0	0	0	571	2025-09-23 15:38:15.803	0	0	true
18	0	0	0	0	0	0	0	0	0	0	571	2025-09-23 15:38:15.803	0	0	true
19	0	0	0	0	0	0	0	0	0	0	571	2025-09-23 15:37:25.885	0	0	true
20	0	0	0	0	0	0	0	0	0	0	571	2025-09-23 15:37:25.885	0	0	true
21	0	0	0	0	0	0	0	0	0	0	571	2025-09-23 15:36:37.063	0	0	true
22	0	0	0	0	0	0	0	0	0	0	571	2025-09-23 15:36:37.063	0	0	true
23	0	0	0	0	0	0	0	0	0	0	571	2025-09-23 15:35:48.041	0	0	true
24	0	0	0	0	0	0	0	0	0	0	571	2025-09-23 15:35:48.041	0	0	true
25	0	0	0	0	0	0	0	0	0	0	571	2025-09-23 15:34:59.662	0	0	true
26	0	0	0	0	0	0	0	0	0	0	571	2025-09-23 15:34:59.662	0	0	true
27	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:34:14.124	0	0	true
28	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:34:14.124	0	0	true

Sr no	Frequency	VRN	VYN	VBN	VRY	VYB	VBR	IR	IY	IB	DCV	Timestamp	Rpm	Pcu	Pm
29	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:33:24.943	0	0	true
30	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:33:24.943	0	0	true
31	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:32:37.041	0	0	true
32	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:32:37.041	0	0	true
33	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:31:48.704	0	0	true
34	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:31:48.704	0	0	true
35	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:30:59.935	0	0	true
36	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:30:59.935	0	0	true
37	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:30:09.159	0	0	true
38	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:30:09.159	0	0	true
39	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:29:16.928	0	0	true
40	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:29:16.928	0	0	true
41	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:28:28.739	0	0	true
42	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:28:28.739	0	0	true
43	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:27:39.036	0	0	true
44	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:27:39.036	0	0	true
45	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:26:47.688	0	0	true
46	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:26:47.688	0	0	true
47	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:25:55.256	0	0	true
48	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:25:55.256	0	0	true
49	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:24:58.685	0	0	true
50	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:24:58.685	0	0	true
51	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:24:04.615	0	0	true
52	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:24:04.615	0	0	true
53	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:23:10.073	0	0	true
54	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:23:10.073	0	0	true
55	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:22:19.414	0	0	true
56	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:22:19.414	0	0	true
57	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:21:29.933	0	0	true

Sr no	Frequency	VRN	VYN	VBN	VRY	VYB	VBR	IR	IY	IB	DCV	Timestamp	Rpm	Pcu	Pm
58	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:21:29.933	0	0	true
59	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:20:41.73	0	0	true
60	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:20:41.73	0	0	true
61	0	0	0	0	0	0	0	0	0	0	574	2025-09-23 15:19:48.335	0	0	true
62	0	0	0	0	0	0	0	0	0	0	574	2025-09-23 15:19:48.335	0	0	true
63	0	0	0	0	0	0	0	0	0	0	574	2025-09-23 15:18:57.555	0	0	true
64	0	0	0	0	0	0	0	0	0	0	574	2025-09-23 15:18:57.555	0	0	true
65	0	0	0	0	0	0	0	0	0	0	574	2025-09-23 15:18:07.576	0	0	true
66	0	0	0	0	0	0	0	0	0	0	574	2025-09-23 15:18:07.576	0	0	true
67	0	0	0	0	0	0	0	0	0	0	575	2025-09-23 15:17:13.17	0	0	true
68	0	0	0	0	0	0	0	0	0	0	575	2025-09-23 15:17:13.17	0	0	true
69	0	0	0	0	0	0	0	0	0	0	574	2025-09-23 15:16:10.17	0	0	true
70	0	0	0	0	0	0	0	0	0	0	574	2025-09-23 15:16:10.17	0	0	true
71	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:15:14.17	0	0	true
72	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:15:14.17	0	0	true
73	0	0	0	0	0	0	0	0	0	0	554	2025-09-23 15:14:20.567	0	0	true
74	0	0	0	0	0	0	0	0	0	0	554	2025-09-23 15:14:20.567	0	0	true
75	0	0	0	0	0	0	0	0	0	0	553	2025-09-23 15:13:29.228	0	0	true
76	0	0	0	0	0	0	0	0	0	0	553	2025-09-23 15:13:29.228	0	0	true
77	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:12:40.172	0	0	true
78	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:12:40.172	0	0	true
79	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:11:48.467	0	0	true
80	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:11:48.467	0	0	true
81	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:10:58.308	0	0	true
82	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:10:58.308	0	0	true
83	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:10:09.707	0	0	true
84	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:10:09.707	0	0	true
85	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:09:19.524	0	0	true
86	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:09:19.524	0	0	true

Sr no	Frequency	VRN	VYN	VBN	VRY	VYB	VBR	IR	IY	IB	DCV	Timestamp	Rpm	Pcu	Pm
87	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:08:29.564	0	0	true
88	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:08:29.564	0	0	true
89	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:07:39.985	0	0	true
90	0	0	0	0	0	0	0	0	0	0	572	2025-09-23 15:07:39.985	0	0	true
91	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:06:48.64	0	0	true
92	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:06:48.64	0	0	true
93	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:05:59.944	0	0	true
94	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:05:59.944	0	0	true
95	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:05:11.406	0	0	true
96	0	0	0	0	0	0	0	0	0	0	573	2025-09-23 15:05:11.406	0	0	true
97	0	0	0	0	0	0	0	0	0	0	574	2025-09-23 15:04:15.828	0	0	true
98	0	0	0	0	0	0	0	0	0	0	574	2025-09-23 15:04:15.828	0	0	true
99	0	0	0	0	0	0	0	0	0	0	574	2025-09-23 15:03:22.624	0	0	true
100	0	0	0	0	0	0	0	0	0	0	574	2025-09-23 15:03:22.624	0	0	true
101	0	0	0	0	0	0	0	0	0	0	574	2025-09-23 15:02:35.079	0	0	true
102	0	0	0	0	0	0	0	0	0	0	574	2025-09-23 15:02:35.079	0	0	true
103	0	0	0	0	0	0	0	0	0	0	575	2025-09-23 15:01:32.523	0	0	true
104	0	0	0	0	0	0	0	0	0	0	575	2025-09-23 15:01:32.523	0	0	true
105	0	0	0	0	0	0	0	0	0	0	574	2025-09-23 15:00:44.347	0	0	true
106	0	0	0	0	0	0	0	0	0	0	574	2025-09-23 15:00:44.347	0	0	true