

| Id | Client Name And Location Name | Meter Name | Sim No.      | DeviceId    | Temp | Humidity | Spare | Flow Count | NRB Voltage |
|----|-------------------------------|------------|--------------|-------------|------|----------|-------|------------|-------------|
| 1  | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 27   | 63       | 0     | 304        | 208         |
| 2  | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 26   | 62       | 0     | 131        | 231         |
| 3  | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 34   | 66       | 0     | 796        | 213         |
| 4  | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 32   | 63       | 0     | 408        | 240         |
| 5  | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 27   | 69       | 0     | 457        | 222         |
| 6  | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 27   | 63       | 0     | 487        | 209         |
| 7  | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 30   | 70       | 0     | 558        | 240         |
| 8  | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 31   | 68       | 0     | 494        | 211         |
| 9  | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 34   | 68       | 0     | 716        | 211         |
| 10 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 32   | 67       | 0     | 691        | 231         |
| 11 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 33   | 68       | 0     | 860        | 230         |
| 12 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 27   | 64       | 0     | 402        | 215         |
| 13 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 27   | 63       | 0     | 876        | 213         |

| Id | Client Name And Location Name | Meter Name | Sim No.      | DeviceId    | Temp | Humidity | Spare | Flow Count | NRB Voltage |
|----|-------------------------------|------------|--------------|-------------|------|----------|-------|------------|-------------|
| 14 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 34   | 67       | 0     | 274        | 221         |
| 15 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 26   | 67       | 0     | 290        | 224         |
| 16 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 34   | 65       | 0     | 1000       | 219         |
| 17 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 29   | 66       | 0     | 167        | 224         |
| 18 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 32   | 61       | 0     | 658        | 210         |
| 19 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 28   | 64       | 0     | 593        | 229         |
| 20 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 26   | 70       | 0     | 948        | 228         |
| 21 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 28   | 70       | 0     | 207        | 217         |
| 22 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 28   | 66       | 0     | 767        | 214         |
| 23 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 33   | 67       | 0     | 434        | 229         |
| 24 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 32   | 65       | 0     | 903        | 232         |
| 25 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 33   | 65       | 0     | 109        | 214         |
| 26 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 26   | 68       | 0     | 918        | 201         |
| 27 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 33   | 65       | 0     | 249        | 214         |
| 28 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 32   | 69       | 0     | 430        | 233         |

| Id | Client Name And Location Name | Meter Name | Sim No.      | DeviceId    | Temp | Humidity | Spare | Flow Count | NRB Voltage |
|----|-------------------------------|------------|--------------|-------------|------|----------|-------|------------|-------------|
| 29 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 25   | 62       | 0     | 291        | 223         |
| 30 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 28   | 64       | 0     | 234        | 225         |
| 31 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 30   | 64       | 0     | 319        | 201         |
| 32 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 31   | 69       | 0     | 508        | 207         |
| 33 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 26   | 61       | 0     | 914        | 205         |
| 34 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 31   | 68       | 0     | 186        | 227         |
| 35 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 25   | 60       | 0     | 739        | 206         |
| 36 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 31   | 64       | 0     | 429        | 202         |
| 37 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 25   | 62       | 0     | 810        | 240         |
| 38 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 29   | 69       | 0     | 828        | 207         |
| 39 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 32   | 61       | 0     | 336        | 232         |
| 40 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 31   | 65       | 0     | 341        | 236         |
| 41 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 26   | 67       | 0     | 658        | 215         |
| 42 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 34   | 67       | 0     | 893        | 239         |
| 43 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 27   | 62       | 0     | 828        | 237         |

| Id | Client Name And Location Name | Meter Name | Sim No.      | DeviceId    | Temp | Humidity | Spare | Flow Count | NRB Voltage |
|----|-------------------------------|------------|--------------|-------------|------|----------|-------|------------|-------------|
| 44 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 34   | 63       | 0     | 962        | 221         |
| 45 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 33   | 67       | 0     | 811        | 213         |
| 46 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 27   | 65       | 0     | 947        | 224         |
| 47 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 27   | 64       | 0     | 315        | 225         |
| 48 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 30   | 63       | 0     | 213        | 233         |
| 49 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 34   | 68       | 0     | 924        | 219         |
| 50 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 25   | 62       | 0     | 613        | 220         |
| 51 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 27   | 60       | 0     | 129        | 211         |
| 52 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 31   | 69       | 0     | 967        | 200         |
| 53 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 28   | 65       | 0     | 175        | 200         |
| 54 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 28   | 70       | 0     | 246        | 239         |
| 55 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 27   | 70       | 0     | 332        | 220         |
| 56 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 29   | 70       | 0     | 729        | 207         |
| 57 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 30   | 66       | 0     | 281        | 203         |
| 58 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 25   | 68       | 0     | 406        | 219         |

| Id | Client Name And Location Name | Meter Name | Sim No.      | DeviceId    | Temp | Humidity | Spare | Flow Count | NRB Voltage |
|----|-------------------------------|------------|--------------|-------------|------|----------|-------|------------|-------------|
| 59 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 30   | 69       | 0     | 594        | 207         |
| 60 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 26   | 65       | 0     | 774        | 239         |
| 61 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 28   | 66       | 0     | 659        | 206         |
| 62 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 27   | 62       | 0     | 409        | 232         |
| 63 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 29   | 67       | 0     | 967        | 235         |
| 64 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 28   | 69       | 0     | 119        | 200         |
| 65 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 30   | 64       | 0     | 773        | 208         |
| 66 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 26   | 61       | 0     | 473        | 230         |
| 67 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 26   | 70       | 0     | 202        | 233         |
| 68 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 32   | 63       | 0     | 654        | 229         |
| 69 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 34   | 60       | 0     | 738        | 225         |
| 70 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 31   | 68       | 0     | 433        | 229         |
| 71 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 29   | 61       | 0     | 303        | 222         |
| 72 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 29   | 64       | 0     | 387        | 235         |
| 73 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 30   | 68       | 0     | 300        | 205         |

| Id | Client Name And Location Name | Meter Name | Sim No.      | DeviceId    | Temp | Humidity | Spare | Flow Count | NRB Voltage |
|----|-------------------------------|------------|--------------|-------------|------|----------|-------|------------|-------------|
| 74 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 33   | 67       | 0     | 355        | 215         |
| 75 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 26   | 60       | 0     | 713        | 213         |
| 76 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 26   | 64       | 0     | 542        | 233         |
| 77 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 32   | 68       | 0     | 498        | 229         |
| 78 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 29   | 67       | 0     | 324        | 220         |
| 79 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 30   | 61       | 0     | 591        | 238         |
| 80 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 28   | 68       | 0     | 598        | 239         |
| 81 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 29   | 70       | 0     | 301        | 209         |
| 82 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 29   | 63       | 0     | 198        | 213         |
| 83 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 28   | 67       | 0     | 605        | 216         |
| 84 | Yuvraj - Vadodara             | pressure   | SIM123456789 | Q0725XX0019 | 25   | 60       | 0     | 941        | 221         |